

Message

From: Neal, Conor [Neal.Conor@epa.gov]
Sent: 11/6/2018 5:18:03 PM
To: Chris Parks [cparks@iwmconsult.com]; Sundar, Bhooma [sundar.bhooma@epa.gov]; Brad Gentry [bgentry@iwmconsult.com]; Bury, Carolyn [bury.carolyn@epa.gov]; Joe Bianchi (jbian@amphenol-aa.com) [jbian@amphenol-aa.com]
Subject: RE: Draft Temp Well Groundwater Sample Analytical Results Tables

Hi Chris,

I'm unable to open the results table pdf. The notification that pops up says the file type is either not supported or is damaged. Can you try resending?

Thanks

Conor

From: Chris Parks <cparks@iwmconsult.com>
Sent: Tuesday, November 06, 2018 10:43 AM
To: Sundar, Bhooma <sundar.bhooma@epa.gov>; Brad Gentry <bgentry@iwmconsult.com>; Bury, Carolyn <bury.carolyn@epa.gov>; Joe Bianchi (jbian@amphenol-aa.com) <jbian@amphenol-aa.com>; Neal, Conor <Neal.Conor@epa.gov>
Subject: Draft Temp Well Groundwater Sample Analytical Results Tables

Carolyn,

The Draft Off-Site Groundwater Analytical Results tables are attached to this email. All results have been validated. I have added some symbols to a few of the results which were considered "estimated" based on the review by the validation company.

Please let me know if you have any questions.

Sincerely,

Chris



Christopher D. Parks, LPG
 Senior Project Manager
 7428 Rockville Road
 Indianapolis, IN 46214
 Direct: (317) 968-9260
 Mobile: (317) 847-2600
 Office: (317) 347-1111 x 127
 Fax: (317) 347-9326